

GE 9H GAS TURBINE CASING TOOL KIT

Speed is paramount during gas turbine outages and the Boltight tensioning system is designed to provide the most efficient tightening/loosening operation available. With the Boltight GE 9H and GE 9H hydraulic tensioning systems, gas turbine casing bolts can be tensioned quickly and accurately.



PARTS LIST GE 9H-01-TS

QTY	PART NUMBER	DESCRIPTION
2	TCT-1500-22-00	1-1/2" Single Stage Tool
2	TCT-1500-21-00	1-1/2" Multi Stage Tool
2	TCT-2000-22-00	2" Conical Tool
2	TCT-2500-23-00	2" Single Stage Tool
2	TCT-2250-21-00	2-1/4" Multi Stage Tool
2	TCT-2250-22-00	2-1/4" Single Stage Tool
2	TCT-2500-21-00	2-1/2" Multi Stage Tool
2	TCT-3000-21-00	3" Multi Stage Tool
1	BT-1506	Air Driven Pump*
1	PES-1500-01-00	Electric Pump *
1	BT-1514	1500 Bar Hand Pump
2	BT-1540-8	8m Hydraulic Hose
2	BT-1540-4	4m Hydraulic Hose
1	BT-1543	Tee Block
2	TCT-ASM-1500	1-1/2" Assembly Socket
2	TCT-ASM-2000	2" Assembly Socket
2	TCT-ASM-2250	2-1/4" Assembly Socket
2	TCT-ASM-2500	2-1/2" Assembly Socket
2	TCT-ASM-3000	3" Assembly Socket
2	TCT-IMP-1500	1-1/2" Impact Socket
2	TCT-IMP-2000	2" Impact Socket
2	TCT-IMP-2250	2-1/4" Impact Socket
2	TCT-IMP-2500	2-1/2" Impact Socket
2	TCT-IMP-3000	3" Impact Socket
2	TRT-WRENCH	Ratchet
1	TCT-TK	Casing Tool Maintenance Kit
1	TCT-MANUAL	Manual
1	TXT-BOX-9H	9H Storage Box

* A 1500 bar air driven or a 1500 bar, 240V or 110V electric pump will be provided depending on your requirements. A 1500 bar hand pump can also be supplied if required.

SPECIFICATION

The tools are designed to include long life seals, automatic piston return, positive stop to prevent over stroke and oil leakage, pressure cycle counters and spring loaded gear driven nut rundown.

Tools provided are lightweight, durable and simple to use.

Stud misalignment compensation features.

Tools, ancillary equipment and operating manual are supplied in a transportable metal storage case.

A tool set for body bound 'reamer' bolts is also available at extra cost.

All tools are pressure tested and issued with a test certificate.

The tool set provides all the tooling and ancillary equipment required to install and remove the tensioned casing bolts on GE 9H Gas Turbines.

Similar kits are available for other GE turbines and also for other turbine manufacturers.

Production Unit
Boltight Limited

Tel: +44 (0) 1922 669222

Email: sales.boltight.uk@nord-lock.com

www.nord-lock.com

Sales Office
Nord-Lock Ltd

Tel: +44 (0) 1264 355557

Email: enquiries@nord-lock.co.uk

www.nord-lock.com